

Magnesium Alloys (Wrought)	(% IACS)	(Ohm-m)
AZ10A	26.94	6.40E-08
AZ31B, AZ31C	18.50	9.20E-08
AZ61A	11.60	1.25E-07
AZ80A	10.60	1.45E-07
HK31A-H24	28.26	6.10E-08
HK31A-O	28.74	6.00E-08
HM21A-H24	33.16	5.20E-08
HM21A-O	34.48	5.00E-08
HM31A-F	26.00	6.60E-08
M1A	34.50	5.00E-08
ZC71	31.93	5.40E-08
ZK60A-F	29.00	5.95E-08
ZK60A-T5	30.00	5.75E-08
Magnesium Alloys (Cast)		
Pure	38.60	4.47E-08
Magnesium Alloys (Cast)	15.00	1.15E-07
AZ80BTA	10.80	1.60E-07
Magnesium Cast Alloys	9.00	1.92E-07
A2 80	14.60	1.18E-07
A231	17.20	1.00E-07
A251	12.80	1.35E-07
A261	12.30	1.40E-07
T454	12.50	1.38E-07
AM100A-F	11.50	1.50E-07
AM100A-T4	9.90	1.75E-07
AM110A-T6	12.30	1.40E-07
AZ63A-F	15.00	1.15E-07
AZ63A-T4	12.30	1.40E-07
AZ63A-T5	13.80	1.25E-07
AZ81A	12.00	1.30E-08
AZ91A-F	10.10	1.70E-07
AZ91C-F, AZ91E-F	11.50	1.50E-07
AZ91C-T4, AZ91E-T4	9.90	1.75E-07
AZ91C-T6, AZ91E-T6	11.20	1.52E-07
AZ92A-F	12.30	1.40E-07
AZ92A-T4	10.50	1.65E-07
AZ92A-T6	12.30	1.40E-07
EQ21	25.20	6.85E-08
EZ33A	25.00	7.00E-08
HK31A-T6	22.00	7.70E-08
HK31A-H24	28.26	6.10E-08
HK31A-O	28.74	6.00E-08
HZ32A	26.50	9.50E-08
K1A	30.25	5.70E-08

QE22A	25.20	6.85E-08
QH21A	25.17	6.85E-08
WE43	11.65	1.48E-07
WE54	9.97	1.73E-07
ZC63	31.93	5.40E-08
ZE41A-T5	28.74	6.00E-08
ZE63A	30.90	5.60E-08
ZH62A	26.50	6.50E-08
ZK51A	28.00	6.20E-08